

























<b>System 900</b> <b>Kompatibilität Einhängesitze und Stangen</b> 900 matt geschliffen 900 verchromt 900 pulverbeschichtet  <b>System 900</b> <b>Compatibility Removable hanging seat and rails</b> 900 matt polished 900 chrome 900 powder-coated																								
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660													
	900.36.000XA 900.36.00040 900.36.00060	A1=300 mm	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	900.36.008XA 900.36.00840 900.36.00860		✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	900.36.03040 900.36.03060		✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	900.36.001XA 900.36.00140 900.36.00160		A1=400 mm	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—	—	—		
	900.36.009XA 900.36.00940 900.36.00960			✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	900.36.03140 900.36.03160			✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	900.36.002XA 900.36.00240 900.36.00260			A1=500 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	—	✓	—	✓	—	✓	—	✓	—	✓	—
	900.36.010XA 900.36.01040 900.36.01060				✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	900.36.03240 900.36.03260				✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	900.36.003XA 900.36.00340 900.36.00360				A1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
900.36.011XA 900.36.01140 900.36.01160	✓	✓				✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.03340 900.36.03360	✓	✓				✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.004XA 900.36.00440 900.36.00460	A1=700 mm	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
900.36.012XA 900.36.01240 900.36.01260		✓	✓			✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.03440 900.36.03460		✓	✓			✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.005XA 900.36.00540 900.36.00560		A1=800 mm	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
900.36.013XA 900.36.01340 900.36.01360			✓	✓		✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.03540 900.36.03560			✓	✓		✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.006XA 900.36.00640 900.36.00660			A1=900 mm	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
900.36.014XA 900.36.01440 900.36.01460				✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.03640 900.36.03660				✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.007XA 900.36.00740 900.36.00760				A1=1000 mm	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
900.36.015XA 900.36.01540 900.36.01560	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.03740 900.36.03760	—				—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
900.36.0S0XA 900.36.0S3XA	A1=220-900 mm ohne zusätzliche Stütze without additional support				A1 min. 284 mm	A1 min. 284 mm	A1 min. 284 mm	A1 min. 284 mm	A1 min. 356 mm	A1 min. 356 mm	A1 min. 415 mm	A1 min. 518 mm	A1 min. 374 mm	A1 min. 374 mm	—	—	—	—	—	—	—	—	—	
	A1=901-1100 mm zusätzliche Stütze mittig additional support in the centre	✓			✓	✓	✓	✓	✓	✓	A1 min. 1036 mm	✓	✓	—	—	—	—	—	—	—	—	—	—	

<b>System 900</b> <b>Kompatibilität Einhängesitze und Stangen</b> 900 matt geschliffen 900 verchromt 900 pulverbeschichtet  <b>System 900</b> <b>Compatibility Removable hanging seat and rails</b> 900 matt polished 900 chrome 900 powder-coated												
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	900.33.200XA 900.33.202XA 900.33.20040 900.33.20240 900.33.20060 900.33.20260  900.33M200XA 900.33M202XA 900.33M20040 900.33M20240 900.33M20060 900.33M20260	W1=450 mm	✓	✓	✓	✓	—	—	—	—	—	—
	900.33.203XA 900.33.201XA 900.33.20340 900.33.20140 900.33.20360 900.33.20160  900.33M203XA 900.33M201XA 900.33M20340 900.33M20140 900.33M20360 900.33M20160	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓
	900.33.2S0XA 900.33.2S1XA  900.33M2S0XA 900.33M2S1XA	W1=300-850 mm	✓	✓	✓	✓	✓	✓	✓	W1 min. 647 mm	✓	✓
	900.35.100XA 900.35.103XA 900.35.10040 900.35.10340 900.35.10060 900.35.10360  900.35.13040 900.35.13340 900.35.13060 900.35.13360	W1=765 mm W2=475 mm	✓	✓	W1 = ✓ W2 = —	W1 = ✓ W2 = —	✓	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	
	900.35.101XA 900.35.104XA 900.35.10140 900.35.10440 900.35.10160 900.35.10460  900.35.13140 900.35.13440 900.35.13160 900.35.13460	W1=765 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.102XA 900.35.105XA 900.35.10240 900.35.10540 900.35.10260 900.35.10560  900.35.13240 900.35.13540 900.35.13260 900.35.13560	W1=965 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.1S0XA 900.35.1S2XA	W1/W2=475-965 mm ohne zusätzliche Stütze without additional support  W1/W2=966-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	W1 min. 563 mm W2 min. 547 mm	W1 min. 563 mm W2 min. 547 mm	✓	W1 min. 526 mm W2 min. 510 mm	W1 min. 503 mm W2 min. 487 mm	W1 min. 606 mm W2 min. 590 mm	W1 min. 536 mm W2 min. 520 mm	W1 min. 636 mm W2 min. 620 mm
	900.35.1S0XA 900.35.1S2XA	W1/W2=475-965 mm ohne zusätzliche Stütze without additional support  W1/W2=966-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	W1 min. 1108 mm W2 min. 1108 mm	✓	✓
	900.35.400XA 900.35.40040 900.35.40060  900.35M400XA 900.35M40040 900.35M40060  900.35.43040 900.35.43060  900.35M43040 900.35M43060	W1=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.401XA 900.35.40140 900.35.40160  900.35M401XA 900.35M40140 900.35M40160  900.35.43140 900.35.43160  900.35M43140 900.35M43160	W1=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.402XA 900.35.40240 900.35.40260  900.35M402XA 900.35M40240 900.35M40260  900.35.43240 900.35.43260  900.35M43240 900.35M43260	W1=1185 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.4S0XA 900.35M4S0XA	W1=300-1500mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 406 mm	W1 min. 406 mm	W1 min. 465 mm	W1 min. 568 mm	W1 min. 424 mm	W1 min. 424 mm
	900.35.4S0XA 900.35M4S0XA	W1=300-1500mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 406 mm	W1 min. 406 mm	W1 min. 465 mm	W1 min. 568 mm	W1 min. 424 mm	W1 min. 424 mm
	900.35.4S0XA 900.35M4S0XA	W1=300-1500mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 406 mm	W1 min. 406 mm	W1 min. 465 mm	W1 min. 568 mm	W1 min. 424 mm	W1 min. 424 mm

<b>System 900</b> <b>Kompatibilität Einhängesitze und Stangen</b> 900 matt geschliffen 900 verchromt 900 pulverbeschichtet  <b>System 900</b> <b>Compatibility Removable hanging seat and rails</b> 900 matt polished 900 chrome 900 powder-coated																							
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660												
	900.35.300XA 900.35.303XA 900.35.30040 900.35.30340 900.35.30060 900.35.30360  900.35M300XA 900.35M303XA 900.35M30040 900.35M30340 900.35M30060 900.35M30360  900.35.33040 900.35.33340 900.35.33060 900.35.33360  900.35M33040 900.35M33340 900.35M33060 900.35M33360	W1=765 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	900.35.301XA 900.35.304XA 900.35.30140 900.35.30440 900.35.30160 900.35.30460  900.35M301XA 900.35M304XA 900.35M30140 900.35M30440 900.35M30160 900.35M30460  900.35.33140 900.35.33440 900.35.33160 900.35.33460  900.35M33140 900.35M33440 900.35M33160 900.35M33460	W1=965 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.302XA 900.35.305XA 900.35.30240 900.35.30540 900.35.30260 900.35.30560  900.35M302XA 900.35M305XA 900.35M30240 900.35M30540 900.35M30260 900.35M30560  900.35.33240 900.35.33540 900.35.33260 900.35.33560  900.35M33240 900.35M33540 900.35M33260 900.35M33560	W1=1185 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.306XA 900.35.307XA 900.35.30640 900.35.30740 900.35.30660 900.35.30760  900.35M306XA 900.35M307XA 900.35M30640 900.35M30740 900.35M30660 900.35M30760  900.35.33640 900.35.33740 900.35.33660 900.35.33760  900.35M33640 900.35M33740 900.35M33660 900.35M33760	W1=765 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.308XA 900.35.309XA 900.35.30840 900.35.30940 900.35.30860 900.35.30960  900.35M308XA 900.35M309XA 900.35M30840 900.35M30940 900.35M30860 900.35M30960  900.35.33840 900.35.33940 900.35.33860 900.35.33960  900.35M33840 900.35M33940 900.35M33860 900.35M33960	W1=965 mm W2=1185 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.3S0XA 900.35.3S2XA	W1/W2=475-965 mm ohne zusätzliche Stütze without additional support	W1 min. 490mm W2 = ✓	W1 min. 540mm W2 = ✓	W1 min. 613 mm W2 min. 547mm	W1 min. 613 mm W2 min. 547mm	W1 min. 526mm W2 = ✓	W1 min. 576 mm W2 min. 510 mm	W1 min. 553 mm W2 min. 487 mm	W1 min. 656 mm W2 min. 590 mm	W1 min. 586 mm W2 min. 520 mm	W1 min. 686 mm W2 min. 620 mm											
	900.35M3S0XA 900.35M3S2XA	W1/W2=966-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓