































Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH														
Range 801 Compatibility Removable hanging seat and rails 801 gloss 801 ICONIC 801 Matt edition 801 active+ 801 WARM TOUCH			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660		
	801.36.100 801.36.100... 801.36B100 801.36B100... 801.36.10050	A1=300 mm	—	—	—	—	—	—	—	—	—	—	—	
	801.36.110 801.36D110 801.36B110 801.36.116 801.36B116 801.36.11050	A1=400 mm	✓	✓	✓	✓	✓	✓	—	—	—	—	—	
	801.36.120 801.36D120 801.36B120 801.36.126 801.36B126 801.36.12050	A1=500 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	
	801.36.130 801.36.130... 801.36D130 801.36B130 801.36B130... 801.36.136 801.36B136 801.36.13050	A1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.36.160 801.36D160 801.36B160 801.36.16050	A1=800 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.36.140 801.36D140 801.36B140 801.36.14050	A1=900 mm	—	—	—	—	—	—	—	—	—	—	—	
	801.36.170 801.36D170 801.36B170 801.36.17050	A1=1000 mm	—	—	—	—	—	—	—	—	—	—	—	
	801.36.150 801.36D150 801.36B150 801.36.15050	A1=1100 mm	—	—	—	—	—	—	—	—	—	—	—	
		A1=851 -1100 mm mittig Stütze central support	✓	✓	✓	✓	✓	✓	✓	A1 min. 894 mm	A1 min. 1100 mm	✓	✓	
801.36.1S 801.36D1S 801.36B1S	A1=220-850 mm ohne zusätzliche Stütze without additional support	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 420 mm	A1 min. 420 mm	A1 min. 479 mm	A1 min. 582 mm	A1 min. 438 mm	A1 min. 438			
	801.33.210 801.33.210... 801.33B210 801.33D210 801.33B210 801.33.216 801.33.216... 801.33B216 801.33B216... 801.33B216... 801.33.21051 801.33.21054	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.33.220 801.33D220 801.33B220 801.33.226 801.33B226													
	801.33.211 801.33.212 801.33.217 801.33.218													
801.33.2S 801.33D2S 801.33B2S	W1=300-850 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 420 mm	W1 min. 420 mm	W1 min. 479 mm	W1 min. 582 mm	W1 min. 438 mm	W1 min. 438 mm			
	801.35.100 801.35B100	W1=762 mm W2=474 mm	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —		
	801.35.110 801.35B110 801.35D110 801.35.11050	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.120 801.35B120	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm	W1 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm		
	801.35.1S 801.35B1S 801.35D1S	W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	W1 min. 1289 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓			

Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH Range 801 Compatibility Removable hanging seat and rails 801 gloss 801 ICONIC 801 Matt edition 801 active+ 801 WARM TOUCH																							
		900.51.10060	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660												
	801.35.200 801.35B200	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.2S 801.35B2S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	
		W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.210 801.35D210 801.35B210 801.35.216 801.35B216 801.35.21051 801.35.21054	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.220 801.35D220 801.35B220 801.35.226 801.35B226	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.230 801.35B230 801.35.236	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.240 801.35B240 801.35.246	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
801.35.21S 801.35D21S 801.35B21S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	
	W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.300 801.35B300 801.35.330 801.35B330	W1=1185 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.310 801.35.310.. 801.35D310 801.35B310 801.35B310.. 801.35.316 801.35B316 801.35B316.. 801.35.31051 801.35.31054	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.340 801.35D340 801.35B340 801.35.346 801.35B346	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.311 801.35.312 801.35.317 801.35.318	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.360 801.35.366 801.35.370 801.35.376	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.320 801.35.320.. 801.35D320 801.35B320 801.35B320.. 801.35.32051 801.35.32054	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.350 801.35D350 801.35B350	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.3S 801.35D3S 801.35B3S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 565 mm W2 min. 505 mm	W1 min. 565 mm W2 min. 505 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 696 mm W2 min. 636 mm	W1 min. 799 mm W2 min. 739 mm	W1 min. 655 mm W2 min. 595 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm
		W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		W1/W2=1200-1800 mm W2 zusätzliche Stütze mittig W2 additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	W1 min. 1349 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH												
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	801.35.420 801.35D420 801.35B420 801.35.420S1 801.35.420S4 801.35.426	W1=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.450 801.35D450 801.35B450											
	801.35.410 801.35D410 801.35B410 801.35.410S1 801.35.410S4	W1=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.440 801.35D440 801.35B440											
801.35.430 801.35D430 801.35B430 801.35.430S1 801.35.430S4	W1=1184 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
801.35.460 801.35D460 801.35B460												
801.35.4S 801.35D4S 801.35B4S	W1=300-1500mm	W1 min. 408 mm	W1 min. 408 mm	W1 min. 408 mm	W1 min. 408 mm	W1 min. 480 mm	W1 min. 480 mm	W1 min. 539 mm	W1 min. 642 mm	W1 min. 498 mm	W1 min. 498 mm	