




















































































Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH													
Range 801 Compatibility Removable hanging seat and rails 801 gloss 801 ICONIC 801 Matt edition 801 active+ 801 WARM TOUCH			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	801.36.100 801.36.100... 801.36B100 801.36B100... 801.36.10050	A1=300 mm	—	—	—	—	—	—	—	—	—	—	—
	801.36.110 801.36D110 801.36B110 801.36.116 801.36B116 801.36.11050	A1=400 mm	✓	✓	✓	✓	✓	✓	—	—	—	—	—
	801.36.120 801.36D120 801.36B120 801.36.126 801.36B126 801.36.12050	A1=500 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓
	801.36.130 801.36.130... 801.36D130 801.36B130... 801.36B130... 801.36.136 801.36B136 801.36.13050	A1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.36.160 801.36D160 801.36B160 801.36.16050	A1=800 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.36.140 801.36D140 801.36B140 801.36.14050	A1=900 mm	—	—	—	—	—	—	—	—	—	—	—
	801.36.170 801.36D170 801.36B170 801.36.17050	A1=1000 mm	—	—	—	—	—	—	—	—	—	—	—
	801.36.150 801.36D150 801.36B150 801.36.15050	A1=1100 mm	—	—	—	—	—	—	—	—	—	—	—
	A1=851 - 1100 mm mittig Stütze central support	✓	✓	✓	✓	✓	✓	✓	A1 min. 894 mm	A1 min. 1100 mm	✓	✓	
801.36.1S 801.36D1S 801.36B1S	A1=220-850 mm ohne zusätzliche Stütze without additional support	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 420 mm	A1 min. 420 mm	A1 min. 479 mm	A1 min. 582 mm	A1 min. 438 mm	A1 min. 438		
	801.33.210 801.33.210... 801.33B210 801.33D210 801.33B210 801.33.216 801.33.216... 801.33B216 801.33B216... 801.33B216... 801.33.21051 801.33.21054	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.33.220 801.33D220 801.33B220 801.33.226 801.33B226												
	801.33.211 801.33.212 801.33.217 801.33.218												
801.33.2S 801.33D2S 801.33B2S	W1=300-850 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 420 mm	W1 min. 420 mm	W1 min. 479 mm	W1 min. 582 mm	W1 min. 438 mm	W1 min. 438 mm		
	801.35.100 801.35B100	W1=762 mm W2=474 mm	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	
	801.35.110 801.35B110 801.35D110 801.35.11050	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.120 801.35B120	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm		
	801.35.1S 801.35B1S 801.35D1S	W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓		













Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH Range 801 Compatibility Removable hanging seat and rails 801 gloss 801 ICONIC 801 Matt edition 801 active+ 801 WARM TOUCH																							
		900.51.10060	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660												
	801.35.200 801.35B200	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.2S 801.35B2S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm		
		W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.210 801.35D210 801.35B210 801.35.216 801.35B216 801.35.21051 801.35.21054	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.220 801.35D220 801.35B220 801.35.226 801.35B226	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.211 801.35.212	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.230 801.35B230 801.35.236 801.35.240 801.35B240 801.35.246	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.21S 801.35D21S 801.35B21S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support Stützenabstand 850 mm Support spacing 850 mm W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm	W1 min. 686 mm W2 min. 686 mm		
	801.35.300 801.35B300 801.35.330 801.35B330	W1=1185 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	801.35.310 801.35.310... 801.35D310 801.35B310 801.35B310... 801.35.316 801.35.316... 801.35B316 801.35B316... 801.35.31051 801.35.31054	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.340 801.35D340 801.35B340 801.35.346 801.35B346	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.311 801.35.312 801.35.317 801.35.318	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.360 801.35.366 801.35.370 801.35.376	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.320 801.35.320... 801.35D320 801.35B320 801.35B320... 801.35.32051 801.35.32054	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.350 801.35D350 801.35B350	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.3S 801.35D3S 801.35B3S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support	W1 min. 565 mm W2 min. 505 mm	W1 min. 565 mm W2 min. 505 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 696 mm W2 min. 636 mm	W1 min. 799 mm W2 min. 739 mm	W1 min. 655 mm W2 min. 595 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	W1 min. 746 mm W2 min. 686 mm	
		W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		W1/W2=1200-1800 mm W2 zusätzliche Stütze mittig W2 additional support in the centre	✓	✓	✓	✓	✓	✓	✓	✓	✓	W1 min. 1349 mm W2 min. 1289 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓















Serie 801 Kompatibilität Einhängesitze und Stangen 801 glänzend 801 ICONIC 801 Edition matt 801 active+ 801 WARM TOUCH Range 801 Compatibility Removable hanging seat and rails 801 gloss 801 ICONIC 801 Matt edition 801 active+ 801 WARM TOUCH																							
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660												
	801.35.420 801.35D420 801.35B420 801.35.420S1 801.35.420S4 801.35.426 801.35.450 801.35D450 801.35B450	W1=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	801.35.410 801.35D410 801.35B410 801.35.410S1 801.35.410S4	W1=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.430 801.35D430 801.35B430 801.35.430S1 801.35.430S4	W1=1184 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	801.35.460 801.35D460 801.35B460																						
801.35.4S 801.35D4S 801.35B4S	W1=300-1500mm		W1 min. 408 mm	W1 min. 408 mm	W1 min. 408 mm	W1 min. 408 mm	W1 min. 480 mm	W1 min. 480 mm	W1 min. 480 mm	W1 min. 539 mm	W1 min. 642 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	W1 min. 498 mm	













Serie 805 Classic Kompatibilität Einhängesitze und Stangen Range 805 Classic Compatibility Removable hanging seat and rails												
			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660
	805.36.100	A1=300 mm	—	—	—	—	—	—	—	—	—	—
	805.36.110	A1=400 mm	✓	✓	✓	✓	✓	✓	—	—	—	—
	805.36.120	A1=500 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓
	805.36.130	A1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.36.140	A1=900 mm	—	—	—	—	—	—	—	—	—	—
	805.36.150	A1=1100 mm	—	—	—	—	—	—	—	—	—	—
	805.36.1S	A1=220-850 mm ohne zusätzliche Stütze without additional support A1=851-1300 mm zusätzliche Stütze mittig additional support in the centre	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 348	A1 min. 420 mm	A1 min. 420 mm	A1 min. 479 mm	A1 min. 582 mm	A1 min. 438 mm	A1 min. 438
	805.33.210R 805.33.210L	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.33.220R 805.33.220L	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.33.2S	W1=300-850 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 348 mm	W1 min. 420 mm	W1 min. 420 mm	W1 min. 479 mm	W1 min. 582 mm	W1 min. 438 mm	W1 min. 438 mm
	805.35.110	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.1S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm
		W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1289 mm	✓	✓
	805.35.210R 805.35.210L	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.220R 805.35.220L	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.230R 805.35.230L	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.240R 805.35.240L	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.21S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm W1/W2=1200-1800 mm zusätzliche Stütze mittig additional support in the middle	W1 min. 505 mm W2 min. 505 mm	W1 min. 505 mm W2 min. 505 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 613 mm W2 min. 613 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 577 mm W2 min. 577 mm	W1 min. 636 mm W2 min. 636 mm	W1 min. 739 mm W2 min. 739 mm	W1 min. 595 mm W2 min. 595 mm	W1 min. 686 mm W2 min. 686 mm
	805.35.300	W1=1185 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.320	W1=1185 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.310	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.330	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.340	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.350	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	805.35.3S	W1/W2=475-1039 mm ohne zusätzliche Stütze without additional support W1/W2=1040-1199 mm Stützenabstand 850 mm Support spacing 850 mm W1/W2=1200-1800 mm W2 zusätzliche Stütze mittig W2 additional support in the centre	W1 min. 565 mm W2 min. 505 mm	W1 min. 565 mm W2 min. 505 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 673 mm W2 min. 613 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 637 mm W2 min. 577 mm	W1 min. 696 mm W2 min. 636 mm	W1 min. 799 mm W2 min. 739 mm	W1 min. 655 mm W2 min. 595 mm	W1 min. 746 mm W2 min. 686 mm

System 800 K Kompatibilität Einhängesitze und Stangen 800 K glänzend 800 K WARM TOUCH System 800 K Compatibility Removable hanging seat and rails 800 K gloss 800 K WARM TOUCH														
			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660		
	950.36.33090 950.36.33091 950.36.33099	L1=600 mm	✓	✓	✓	✓	—	—	—	—	—	—	—	
	950.36.10090 950.36.10091 950.36.10099 950.36.10050	A1=300 mm	—	—	—	—	—	—	—	—	—	—	—	
	950.36.11090 950.36.11091 950.36.11099 950.36.11050	A1=400 mm	✓	✓	✓	✓	—	—	—	—	—	—	—	
	950.36.13090 950.36.13091 950.36.13099 950.36.13050	A1=600 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	✓	
	950.36.14090 950.36.14091 950.36.14099 950.36.14050	A1=900 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	950.36.1S90 950.36.1S91 950.36.1S99	A1=220-950 mm ohne zusätzliche Stütze without additional support A1=951-1100 mm Stütze mittig central support	L1 min. 394 mm	✓	✓	✓	✓	✓	✓	✓	✓	L1 min. 628 mm	✓	✓
	950.33.20051 950.33.20054	W1=400 mm	✓	✓	✓	✓	—	—	—	—	—	—	—	
	950.33.23051 950.33.23054		✓	✓	✓	✓	—	—	—	—	—	—	—	
	950.33.21090 950.33.21091 950.33.21099 950.33.21051 950.33.21054	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	950.33.22090 950.33.22091 950.33.22099 950.33.22051 950.33.22054		ohne zusätzliche Stütze without additional support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
950.33.2S90 950.33.2S91 950.33.2S99	W1=300-850 mm	W1 min. 371 mm	W1 min. 371 mm	W1 min. 371 mm	W1 min. 371 mm	W1 min. 443 mm	W1 min. 443 mm	W1 min. 502 mm	W1 min. 605 mm	W1 min. 461 mm	W1 min. 461 mm	W1 min. 461 mm	W1 min. 461 mm	
	950.35.11090 950.35.11091 950.35.11099 950.35.11050	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	—	—	✓	—	—	
	950.35.12050	W1=962 mm W2=440 mm	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	
	950.35.13050	W1=800 mm W2=550 mm	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	W1 = ✓ W2 = —	—	W1 = ✓ W2 = —	—	—	
	950.35.1S90 950.35.1S91 950.35.1S99	W1/W2=475-1179mm ohne zusätzliche Stütze without additional support Stützenabstand 850 mm Support spacing 850 mm	W1 min. 623 mm W2 min. 623 mm	W1 min. 623 mm W2 min. 623 mm	W1 min. 728 mm W2 min. 728 mm	W1 min. 728 mm W2 min. 728 mm	W1 min. 659 mm W2 min. 659 mm	W1 min. 659 mm W2 min. 695 mm	W1 min. 754 mm W2 min. 754 mm	W1 min. 857 mm W2 min. 857 mm	W1 min. 713 mm W2 min. 713 mm	W1 min. 801 mm W2 min. 801 mm	W1 min. 801 mm W2 min. 801 mm	W1 min. 801 mm W2 min. 801 mm
	950.35.1S90 950.35.1S91 950.35.1S99	W1/W2=1180-1339 mm Stützenabstand 850 mm Support spacing 850 mm W1/W2=1340-1800 mm Stütze mittig central support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	950.35.21090 950.35.21091 950.35.21099 950.35.21051 950.35.21054	W1=762 mm W2=762 mm	✓	✓	✓	✓	✓	✓	✓	W1 = ✓ W2 = —	✓	✓	W1 = ✓ W2 = —	
	950.35.22090 950.35.22091 950.35.22099 950.35.22051 950.35.22054		ohne zusätzliche Stütze without additional support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	950.35.23090 950.35.23091 950.35.23099 950.35.23051 950.35.23054	W1=762 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	950.35.24090 950.35.24091 950.35.24099 950.35.24051 950.35.24054		ohne zusätzliche Stütze without additional support	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
950.35.2S90 950.35.2S91 950.35.2S99	W1=475-1039 mm W2=475-1179 mm ohne zusätzliche Stütze without additional support W1=1040-1199 mm W2=1180-1339 mm Stützenabstand 850 mm Support spacing 850 mm	W1 min. 505 mm W2 min. 623 mm	W1 min. 505 mm W2 min. 623 mm	W1 min. 613 mm W2 min. 728 mm	W1 min. 613 mm W2 min. 728 mm	W1 min. 577 mm W2 min. 695 mm	W1 min. 577 mm W2 min. 695 mm	W1 min. 636 mm W2 min. 754 mm	W1 min. 739 mm W2 min. 857 mm	W1 min. 595 mm W2 min. 713 mm	W1 min. 686 mm W2 min. 801 mm	W1 min. 686 mm W2 min. 801 mm	W1 min. 686 mm W2 min. 801 mm	
950.35.2S90 950.35.2S91 950.35.2S99	W1=1200-1800 mm W2=1340-1800 mm Stütze mittig central support	W1 min. 1289 mm W2 min. 1445 mm	✓	✓	✓	✓	✓	✓	✓	W1 min. 1289 mm W2 min. 1445 mm	✓	✓	✓	

System 800 K Kompatibilität Einhängesitze und Stangen 800 K glänzend 800 K WARM TOUCH System 800 K Compatibility Removable hanging seat and rails 800 K gloss 800 K WARM TOUCH													
			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	950.35.31090 950.35.31091 950.35.31099 950.35.31051 950.35.31054 950.35.32090 950.35.32091 950.35.32099 950.35.32051 950.35.32054	W1=762 mm W2=762 mm	✓	✓	W1 = — W2 = ✓	W1 = — W2 = ✓	✓	✓	W1 = — W2 = ✓	W1 = — W2 = —	✓	—	
	950.35.33090 950.35.33091 950.35.33099 950.35.33051 950.35.33054 950.35.34090 950.35.34091 950.35.34099 950.35.34051 950.35.34054	W1=962 mm W2=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	950.35.3S90 950.35.3S91 950.35.3S99	W1/W2=475-1179 mm ohne zusätzliche Stütze without additional support Stützenabstand 850 mm Support spacing 850 mm	W1 min. 683 mm W2 min. 623 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		W1/W2=1340-1800 mm W2 zusätzliche Stütze mittig W2 additional support in the centre	W1 min. 683 mm W2 min. 623 mm	✓	✓	✓	✓	✓	✓	✓	W1 min. 1505 mm W2 min. 1445 mm	✓	✓
	950.35.42090 950.35.42091 950.35.42099 950.35.42051 950.35.42054 950.35.45090 950.35.45091 950.35.45099 950.35.45051 950.35.45054	W1=812 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	950.35.41090 950.35.41091 950.35.41099 950.35.41051 950.35.41054 950.35.44090 950.35.44091 950.35.44099 950.35.44051 950.35.44054	W1=962 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	950.35.43090 950.35.43091 950.35.43099 950.35.43051 950.35.43054 950.35.46090 950.35.46091 950.35.46099 950.35.46051 950.35.46054	W1=1184 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	950.35.4S90 950.35.4S91 950.35.4S99	W1=300-1500 mm	W1 min. 494 mm	W1 min. 494 mm	W1 min. 494 mm	W1 min. 494 mm	W1 min. 566 mm	W1 min. 566 mm	W1 min. 625 mm	W1 min. 728 mm	W1 min. 584 mm	W1 min. 584 mm	W1 min. 584 mm

System 900 Kompatibilität Einhängesitze und Stangen 900 matt geschliffen 900 verchromt 900 pulverbeschichtet System 900 Compatibility Removable hanging seat and rails 900 matt polished 900 chrome 900 powder-coated																							
		900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BCH101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660												
	900.36.000XA 900.36.00040 900.36.00060 900.36.008XA 900.36.00840 900.36.00860 900.36.03040 900.36.03060	A1=300 mm	✓	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	900.36.001XA 900.36.00140 900.36.00160 900.36.009XA 900.36.00940 900.36.00960 900.36.03140 900.36.03160	A1=400 mm	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.002XA 900.36.00240 900.36.00260 900.36.010XA 900.36.01040 900.36.01060 900.36.03240 900.36.03260	A1=500 mm	✓	✓	✓	✓	✓	✓	✓	—	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.003XA 900.36.00340 900.36.00360 900.36.011XA 900.36.01140 900.36.01160 900.36.03340 900.36.03360	A1=600 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.004XA 900.36.00440 900.36.00460 900.36.012XA 900.36.01240 900.36.01260 900.36.03440 900.36.03460	A1=700 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.005XA 900.36.00540 900.36.00560 900.36.013XA 900.36.01340 900.36.01360 900.36.03540 900.36.03560	A1=800 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.006XA 900.36.00640 900.36.00660 900.36.014XA 900.36.01440 900.36.01460 900.36.03640 900.36.03660	A1=900 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	—	—	✓	✓	—	—	—	—	—	—	—
	900.36.007XA 900.36.00740 900.36.00760 900.36.015XA 900.36.01540 900.36.01560 900.36.03740 900.36.03760	A1=1000 mm	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	900.36.0S0XA 900.36.0S3XA	A1=220-900 mm ohne zusätzliche Stütze without additional support A1=901-1100 mm zusätzliche Stütze mittig additional support in the centre	A1 min. 284 mm A1 min. 284 mm	A1 min. 284 mm A1 min. 284 mm	A1 min. 284 mm A1 min. 284 mm	A1 min. 284 mm A1 min. 284 mm	A1 min. 356 mm A1 min. 356 mm	A1 min. 356 mm A1 min. 356 mm	A1 min. 415 mm A1 min. 415 mm	A1 min. 518 mm A1 min. 1036 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm	A1 min. 374 mm A1 min. 374 mm

System 900 Kompatibilität Einhängesitze und Stangen 900 matt geschliffen 900 verchromt 900 pulverbeschichtet System 900 Compatibility Removable hanging seat and rails 900 matt polished 900 chrome 900 powder-coated													
			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51DCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	900.33.200XA 900.33.202XA 900.33.20040 900.33.20240 900.33.20060 900.33.20260	W1=450 mm	✓	✓	✓	✓	-	-	-	-	-	-	
	900.33.203XA 900.33.201XA 900.33.20340 900.33.20140 900.33.20360 900.33.20160	W1=600 mm	✓	✓	✓	✓	✓	✓	✓	-	✓	✓	
	900.33.2S0XA 900.33.2S1XA 900.33M2S0XA 900.33M2S1XA	W1=300-850 mm	✓	✓	✓	✓	✓	✓	✓	W1 min. 647 mm	✓	✓	
	900.35.100XA 900.35.103XA 900.35.10040 900.35.10340 900.35.10060 900.35.10360	W1=765 mm W2=475 mm	✓	✓	W1=✓ W2=-	W1=✓ W2=-	✓	W1=✓ W2=-	W1=✓ W2=-	W1=✓ W2=-	W1=✓ W2=-	W1=✓ W2=-	
	900.35.101XA 900.35.104XA 900.35.10140 900.35.10440 900.35.10160 900.35.10460	W1=765 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.13140 900.35.13440 900.35.13160 900.35.13460												
	900.35.102XA 900.35.105XA 900.35.10240 900.35.10540 900.35.10260 900.35.10560	W1=965 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
900.35.1S0XA 900.35.1S2XA	W1/W2=475-965 mm ohne zusätzliche Stütze without additional support	✓	✓	W1 min. 563 mm W2 min. 547 mm	W1 min. 563 mm W2 min. 547 mm	✓	W1 min. 526 mm W2 min. 510 mm	W1 min. 503 mm W2 min. 487 mm	W1 min. 606 mm W2 min. 590 mm	W1 min. 536 mm W2 min. 520 mm	W1 min. 636 mm W2 min. 620 mm		
		W1/W2=966-1800 mm zusätzliche Stütze mittig additional support in the centre	✓	✓	✓	✓	✓	✓	W1 min. 1108 mm W2 min. 1108 mm	✓	✓		
	900.35.400XA 900.35.40040 900.35.40060	W1=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	900.35.401XA 900.35.40140 900.35.40160	W1=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	900.35.43140 900.35.43160												
	900.35.402XA 900.35.40240 900.35.40260	W1=1185 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓		
	900.35M402XA 900.35M40240 900.35M40260												
900.35.43240 900.35.43260													
900.35.4S0XA 900.35M4S0XA	W1=300-1500mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 334 mm	W1 min. 406 mm	W1 min. 406 mm	W1 min. 465 mm	W1 min. 568 mm	W1 min. 424 mm	W1 min. 424 mm		

System 900 Kompatibilität Einhängesitze und Stangen 900 matt geschliffen 900 verchromt 900 pulverbeschichtet System 900 Compatibility Removable hanging seat and rails 900 matt polished 900 chrome 900 powder-coated													
			900.51.10060 900.51.10660	900.51.10260 900.51.10460 900.51.10860 900.51.11060 900.51.11260	900.51.10160 900.51.10760	900.51.10360 900.51.10560 900.51.10960 900.51.11160 900.51.11360	950.51.11090 950.51.11190	950.10090 950.10190	801.51.100 801.51B100 801.51D100 801.51FR101 801.51BFR101 801.51.106 801.51.107	801.51.110 801.51B110 801.51D110 801.51CH110 801.51BCH110 801.51.115 801.51B115 801.51D115 801.51.116 801.51.117	802.51.13160 802.51.13360 802.51.13560 802.51.13760 802.51.13960 802.51.14160 802.51.14360 802.51.14560	802.51.13260 802.51.13460 802.51.13660 802.51.13860 802.51.14060 802.51.14260 802.51.14460 802.51.14660	
	900.35.300XA 900.35.303XA 900.35.30040 900.35.30340 900.35.30060 900.35.30360 900.35M300XA 900.35M303XA 900.35M30040 900.35M30340 900.35M30060 900.35M30360 900.35.33040 900.35.33340 900.35.33060 900.35.33360	W1=765 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	900.35.301XA 900.35.304XA 900.35.30140 900.35.30440 900.35.30160 900.35.30460 900.35M301XA 900.35M304XA 900.35M30140 900.35M30440 900.35M30160 900.35M30460 900.35.33140 900.35.33440 900.35.33160 900.35.33460	W1=965 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.302XA 900.35.305XA 900.35.30240 900.35.30540 900.35.30260 900.35.30560 900.35M302XA 900.35M305XA 900.35M30240 900.35M30540 900.35M30260 900.35M30560 900.35.33240 900.35.33540 900.35.33260 900.35.33560	W1=1185 mm W2=765 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.306XA 900.35.307XA 900.35.30640 900.35.30740 900.35.30660 900.35.30760 900.35M306XA 900.35M307XA 900.35M30640 900.35M30740 900.35M30660 900.35M30760 900.35.33640 900.35.33740 900.35.33660 900.35.33760	W1=765 mm W2=965 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.308XA 900.35.309XA 900.35.30840 900.35.30940 900.35.30860 900.35.30960 900.35M308XA 900.35M309XA 900.35M30840 900.35M30940 900.35M30860 900.35M30960 900.35.33840 900.35.33940 900.35.33860 900.35.33960	W1=965 mm W2=1185 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	900.35.3S0XA 900.35.3S2XA 900.35M3S0XA 900.35M3S2XA	W1/W2=475-965 mm ohne zusätzliche Stütze without additional support W1/W2=966-1800 mm zusätzliche Stütze mittig additional support in the centre	W1 min. 490mm W2 = ✓	W1 min. 540mm W2 = ✓	W1 min. 613 mm W2 min. 547mm	W1 min. 613 mm W2 min. 547mm	W1 min. 526mm W2 = ✓	W1 min. 576 mm W2 min. 510 mm	W1 min. 553 mm W2 min. 487 mm	W1 min. 656 mm W2 min. 590 mm	W1 min. 586 mm W2 min. 520 mm	W1 min. 686 mm W2 min. 620 mm	W1 min. 1158 mm W2 min. 1108 mm