
BACKREST RAILS

STATIONARY HINGED SUPPORT RAILS

NECESSARY FOR ALL



STATIONART HINGED SUPPORT RAILS		
Stainless	steel, satin finish	C€
	805.50.20805.50.10 rotatable	

BM17.2 For fixing on walls made of concrete (> C20/C25) National technical approval number: ETA-11/0493

additionally: injection mortar (HEWI item No.: 200311) or to be provided on site: injection mortar HIT-HY200A (Hilti) extrusion tool HDM (Hilti)

BM10.2

For fixing on walls made of concrete (> C20/C25)

BM11.2

For fixing on walls made of autoclaved aerated concrete (> P2)

additionally: injection mortar (HEWI item No.: 200266), conical drill bit (HEWI item No.: 171041) or to be provided on site:

injection mortar HIT-HY 270 (Hilti), extrusion tool HDM (Hilti), conical drill bit TE-C PB 22/100 (Hilti)

BM12.2

For fixing on lightweight walls with rear lining made of laminated timber boards (with waterproof bonding, at least 30 mm thick required, e.g. studs or prewall installation)

BM13.2

For fixing on lightweight walls with integrated steel plates (e.g. studs or pre wall installation)

BM18.2

For fixing on walls made of:

- · solid bricks
- \cdot perforated calcium silicate block
- hollow concrete block
- · vertically perforated bricks
- \cdot hollow lightweight concrete block
- lightweight aggregate concrete
 with open structure

National technical approval number: ETA-13/1036

additionally:

injection mortar (HEWI item No.: 200266)

or to be provided on site: injection mortar HIT-HY 270 (Hilti), extrusion tool HDM (Hilti)

Backrest rail cannot be combined with mobile versions.